NCDOT Pavement Marking Asset Management Program









NCDOT Pavement Marking Asset **Management Program Goals**



- Increase safety
- Maximize value for money



NCDOT Pavement Marking Asset Management Program Goals



- Develop a statewide user friendly, "living" database
- Provide guidance to designers, engineers, and others engaged in the selection of pavement marking materials
- Selection of pavement marking materials based upon demonstrated product durability, retained retroreflectivity and cost



NCDOT Guidelines for Use of Pavement Markings (Draft last updated 7-16-01)



Purpose:

To improve visibility during night and wet night conditions and possibly reduce night and wet night "run off the road" accidents.

Pavement Marking Placement Guidelines

- Long life pavement marking (epoxy,thermoplastic and polyurea) on the National Highway System
- Epoxy markings may be used on asphalt pavement west of and including I-77
- Thermoplastic markings on asphalt pavement
- Waterborne paint markings on all non-NHS roadways with ADT less than 5000
 ADT

Consideration may be given to:

- Large gradation glass beads
- Snow plow rates
- Life cycle cost



NC DOT Guidelines for Use of Pavement Markings (Draft last updated 7-16-01)



Long life pavement marking (epoxy, thermoplastic and polyurea) on the National Highway System (NHS)

- 5 Year Data Collection: 11 of 14 Divisions
- Total NHS lane miles: estimated 15,000
- Total line miles under evaluation: 2160.9

Epoxy markings may be used on asphalt west of and including I-77

• No retroreflectivity data was collected as no projects on the National Highway System were identified.



Long Life Pavement Marking



Long life pavement marking (epoxy, thermoplastic and polyurea) on the National Highway System (NHS)

Long Life Pavement Markings by Surface Type for All Regions Under Evaluation

<u>Surface</u>	Material	Bead	Line Miles
Asphalt			
	Thermo	Standard	1068.5
	Thermo	Large	236.1
	Hot Spray Thermo (40 mil)	Standard	310.2
	Polyurea	Highly Reflective Elements	45.0
		Sum	1659.8
Concrete	_		
	Epoxy	Standard	249.9
	Epoxy	Large	220.0
	Polyurea	Highly Reflective Elements	31.2
		Sum	501.1
		Total Line M	liles 2160.9



of Snow

Plows: 5

Thermoplastic Pavement Markings on **Asphalt Pavement**



White & Yellow Thermoplastic in All Regions

• NC Standard Spec Bead


1068.5 line miles


Large Bead

236.1 line miles

Sample: White Skip Thermoplastic with NC Standard Spec Bead (148.4 line miles)

Sample: White Skip Thermoplastic with **Large Bead (32.1 line miles)**





Average # of Snow Plows: 4

Avg. Avg. Initial R₁ 6 Month R_L 1 Year R_L



Waterborne Paint Markings on Asphalt Pavement




White & Yellow Paint in All Regions

NC Standard Spec Bead

75.1 line miles

Sample: White Edge Paint on Asphalt (50.1 line miles)





NC DOT "Data Driven" Guidelines for Use of Pavement Markings (Possible Additions)



Establish Pavement Marking Performance Guidelines

- Initial retroreflectivity levels
- Six month retroreflectivity levels
- Life cycle cost/Brightness Benefit Factor (BBF) chart

Establish Pavement Marking Construction Guidelines

- Life cycle cost
- Brightness Benefit Factor (BBF) chart
- Asset management

Establish Pavement Marking Restriping/Maintenance Guidelines

- End of useful life
- Brightness Benefit Factor (BBF) chart
- Asset management



Retroreflectivity Performance Levels for White Pavement Markings




(Possible Additions)

NC Standard Spec Bead Initial R_L level (375 mcd)
NC Standard Spec Bead Six Month R_L level (325 mcd)

<u>Large Bead Initial R_L level (450 mcd)</u>
<u>Large Bead Six Month R_L level (390 mcd)</u>


Sample: White Edge Thermoplastic with NC Standard Spec Bead (332.1 line miles)

Initial R₁



6 Month R₁

Sample: White Edge Thermoplastic with Large Bead (114.0 line miles)



Avg. Initial R_L

Avg. 6 Month R_L



Retroreflectivity Performance Levels for Yellow Pavement Markings




(Possible Additions)

NC Standard Spec Bead Initial R_I level (250 mcd) NC Standard Spec Bead Six Month R_L level (200 mcd) Large Bead Initial R_I level (300 mcd) <u>Large Bead Six Month R_L level (240 mcd)</u>

Sample: Yellow Edge Thermoplastic with Sample: Yellow Edge Thermoplastic with **NC Standard Spec Bead (232.2 line miles)**

Large Bead (32.6 line miles)



Initial R₁



Avg. Initial R₁

Avg. 6 Month R₁



Life Cycle Cost(Possible Additions)



- Variety of ways to conduct a life cycle cost analysis
- NC DOT will establish retroreflectivity level as the end of a pavement markings useful life.
- NC DOT will have to determine how to weigh intangible costs involved in installing pavement markings i.e:
 - Frequency of striping, cost of contract administration
 - Traffic obstruction, decreased capacity
 - Work zone safety, etc.
- One possible methodology to be considered is the establishment of a "Brightness Benefit Factor" (BBF)



Brightness Benefit Factor (BBF) (Possible Additions)



- Brightness benefit factor represents the combined effects of a material's retroreflectivity, durability, and installed cost.
- Brightness benefit factor formula: $BBF = (R_{11}T_{s})/\$$
 - R_u = Average useful retroreflectivity over the anticipated service life of the project.
 - T_s = Service life
 - \$ = The average installed cost per unit length (foot).
- R_u is determined from most current project experience and is calculated by taking yearly retroreflectivity readings on roadways representative of the ADT classification in which the BBF is listed.
- Bias toward products with high initial retroreflectivity. <u>NC DOT needs</u> to decide whether to establish maximum useful initial retroreflectivity.
- Intangible cost has not been taken into consideration in this example.



Brightness Benefit Factor (BBF)





$BBF = (R_uT_s)/\$$ Sample BBF calculation:

- ADT = >25,000
- Cost per foot = \$0.55
- Useful life for white 150 mcd

- 513 mcd Installation
- 352 mcd At end of 1st year
- 243 mcd At end of 2nd year
- 168 mcd At end of 3rd year
- 116 mcd At end of 4th year
- Sum R = (513+352)/2 + (352+243)/2 + (243+168)/2 + (168+116)/2 = 1078 mcd
- R average = $1078/4 = 269 \ mcd$
- R_u, the average useful retroreflectivity, is the amount by which the average retroreflectivity exceeds 150 mcd for white
 - $R_u = 269 150 = 119 \text{ mcd}$
 - $T_s = 4$ years
 - \$ = \$ 0.55
 - BBF = $(R_{\rm u}T_{\rm s})/\$ = (119)(4)/(0.55) = 865$



Brightness Benefit Factor (BBF)



(Possible Additions)

Average Retroreflectivity for 5 Years for BBF Calculation

Cost/ Foot	Materials	Surface	Bead	ADT Range	Line	1 Year % Drop	Initial	1 Year	2 Year	3 Year	4 Year	5 Year	Incipient Failure
0.37	Epoxy	Concrete	Standard	>25,000	WE	19%	340	275	223	180	146		150
					WS	-		-	-		-		150
					YE	0%	210	210	-	-	-	-	100
0.49	Epoxy	Concrete	Standard	>25,000	WE	15%	343	292	248	211	179	152	150
					WS	18%	284	234	192	157	129		150

Cost/ Foot	Materials	Surface	Bead	ADT Range	Line	1 Year % Drop	Initial	1 Year	2 Year	3 Year	4 Year		Incipient Failure
0.55	Thermo	Asphalt	Large	>25,000	WS	31%	513	352	243	168	116	_	150

					YE	10%	331	297	267	241	217	195	100
0.3	Thermo	Asphalt	Standard	10,000-25,000	WE	6%	346	325	306	287	270	254	150
					YE		317	354	-	-	-	-	100
0.36	Thermo	Asphalt	Standard	10,000-25,000	WS	25%	467	350	263	197	148		150
0.37	Thermo	Asphalt	Standard	10,000-25,000	WE		390	439		-	-		150
					YE		279	327	-	-	-	-	100
0.83	Thermo	Asphalt	Standard	>25,000	WE	16%	441	370	311	261	219	184	150

- Assumption percentage drop same every year.
- Assume no more than 5 years.



Brightness Benefit Factor (BBF)



(Possible Additions)

BBF Calculation for 5 Years

$$BBF = (R_u T_s)/\$$$

						urface Bead ADT R: sundard >25,0 oncrete Standard >25,0 oncrete Large >25,0	nge Line 1 Year 2 Year 3 0 WE 308 249 WS	202 163 91 	R average R Fa 21 230 80	Foot Foot	years Cost/signer			oreflec lifetin	•	
Material	Surface	Bead	ADT Range	Line			2 Year/ 3 Year		1		R Average	R _u	Incipient Failure	Cost/ Foot	mcd-years per dollar- foot (BBF)	Cost/
Thermo	Asphalt	Large	>25,000	WS	433	298	206	142	-	1078	269	119	150	\$0.55	865	\$2,904
					Thermo # The	sphalt Large 10,000-2 sphalt Large >25,0 sphalt Large >25,0	YE 199 195	173	74 143 43 79 257 107 107 107 107 107 107 107 107 107 10	150 \$ 0.29 11 100 \$ 0.32 11 100 \$ 0.32 11 100 \$ 0.32 11 100 \$ 0.32 11 1550 \$ 0.29 15 1550 \$ 0.53 18 1550 \$ 0.55 18 1550 \$ 0.55 8 1550 \$ 0.85 12 1550 \$ 0.85 22 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.85 88 1550 \$ 0.88 88 1550 \$ 0.88 88 1550 \$ 0.88 88 1550 \$ 0.88 88 1550 \$ 0.88 88	22 \$1,600 \$ 42 \$1,600 \$ 42 \$1,600 \$ 51,531 \$ 3 950 \$1,600 \$ 51,531 \$ 3 950 \$1,600 \$ 5 51,531 \$ 5 52,723 \$ 5 6 12,724 \$ 5 6 12,724 \$ 5 6 12,724 \$ 5 6 12,724 \$ 6 12,72					

- Assumption percentage drop same every year.
- Assume no more than 5 years.



Average Brightness Benefit Factor for White Pavement Markings with ADT>25,000 (Possible Additions)



Wh	ite Edge/A	sphalt								
Material Surface Bead BBF										
Thermo	Asphalt	Standard	1532							
Thermo	Asphalt	Large	1172							
Hot Spray Thermo	Asphalt	Standard	XXX							

Wh	ite Skip/A	sphalt							
Material Surface Bead BBF									
Thermo	Asphalt	Large	865						
Thermo	Asphalt	Standard	XXX						
Hot Spray Thermo	Asphalt	Standard	XXX						

Whi	White Edge/Concrete									
Material Surface Bead BBF										
Ероху	Concrete	Large	673							
Paint	Paint Concrete Standard 256									

Whi	te Skip/Co	ncrete	
Material	Surface	Bead	BBF
Ероху	Concrete	Large	427
Ероху	Concrete	Standard	387

XXX: Precision Scan will have information after June 2003 measurements are taken.




Restriping/Maintenance Guidelines (Possible Additions)



Base restriping/maintenance on data driven decisions

Sample: White Edge Thermoplastic with NC Standard Spec Bead and Large Bead on Asphalt with ADT >25,000



BBF Chart (ADT >25,000)

Wh	White Edge/Asphalt									
Material Surface Bead BBF										
Thermo	Asphalt	Standard	1532							
Thermo	Asphalt	Large	1172							
Hot Spray Thermo Asphalt Standard XXX										

- Assumption percentage drop same every year.
- Assume end of useful life is 150 mcd



There's Still Work to Be Done...



Central Office

- Establish database
- Establish performance guidelines
- Establish placement/construction/restriping guidelines based on life cycle cost/Brightness Benefit Factor (BBF)
- Annual review of guidelines

Divisions

- Inspection: Retroreflectivity collection and reporting
 - Get what you pay for
 - Maintain database
- Contractor: Monitoring (Incentives)
- Construction/Restriping/Material Selection: Brightness Benefit Factor (BBF)



User Friendly Database



Sample: General Contractor Performance





User Friendly Database Reports



Sample: Contractor / Material Performance


		Contractor Rep	ort by Indi	vidual Co	ntractor		
Contractor Line	Surface	Material	Beads	Avg of Initial RL Readings	Avg of 6 Month RL Readings	Avg of 1 st Year RL Readings	Avg Cost Per Foot
Clark Pavemen	t Markin	g, Inc.					
White Ea	lge Asphalt	Hot Spray Thermo	Standard	0	246	317	\$0.19
	Asphalt	Thermo	Standard	408	368	424	\$ 0.33
White Sk	<i>ip</i> Asphalt	Hot Spray Thermo	Standard	0	260	358	\$0.19
	Asphalt	Thermo	Standard	234	381	402	\$0.41
Yellow E	<i>dge</i> Asphalt	Hot Spray Thermo	Standard	0	192	221	\$ 0.19
	Asphalt	Thermo	Standard	305	263	312	<i>\$0.3</i> 3



User Friendly Database



Sample: Contractor/Material Performance at Division Level





User Friendly Database Reports



Sample: Report Selection by Division

Contractor Summary Report by Division

Note: Measurements were NOT taken if there is a zero (θ) in the RL Average column.

Contractor	Line	Surface	Material	Beads	Avg of Initial RL Readings	Avg of 6 Month RL Readings	Avg of 1st Year RL Readings	Avg Cost Per Foot
Division: 7								
Clark Paveme	nt Marking	g, Inc.						
	White Edg	ge .						
		Asphalt	Thermo	Standard	427	364	410	\$0.28
	White Skip	2						
		Asphalt	Thermo	Standard	467	360	350	<i>\$0.</i> 36
	Yellow Ed	lge						
		Asphalt	Thermo	Standard	331	236	297	\$0.28
Roadmark Co	rporation							
	White Edg							
		Asphalt	Paint	Standard	271	235	208	\$0.08
		Concrete	Paint	Standard	204	172	139	\$0.08
	White Skip	2						
		Concrete	Paint	Standard	200	189	148	\$0.08
	Yellow Ce							
		Asphalt	Paint	Standard	170	172	190	\$0.08
	Yellow Ed	_						
		Concrete	Paint	Standard	198	175	171	\$0.08



User Friendly Database



Sample: Report Selection

Division Type of Line Color Surface Material Material Type ADT Beads Contractor Cost C Division 1											
Division	Type of Line	Color	Surface Material	Material Type	ADT	Beads	Contractor	•			
7	White Skip	White	Asphalt	Thermo	20,000	Standard	Clark Pavement Marking, Inc.				
7.	Yellow Edge	Yellow	Asphalt	Thermo	20,000	Standard	Clark Pavement Marking, Inc.				
7,	White Edge	White	Asphalt	Thermo	20,000	Standard	Clark Pavement Marking, Inc.				
7	White Skip	White	Asphalt	Thermo	20,000	Standard	Clark Pavement Marking, Inc.				
7	Yellow Edge	Yellow	Asphalt	Thermo	20,000	Standard	Clark Pavement Marking, Inc.				
Z	White Edge	White	Concrete	Paint	20,000	Standard	Roadmark Corporation				
7,	White Skip	White	Concrete	Paint	20,000	Standard	Roadmark Corporation				
7	White Skip	White	Concrete	Paint	20,000	Standard	Roadmark Corporation				
7	Yellow Edge	Yellow	Concrete	Paint	20,000	Standard	Roadmark Corporation				
7 Record: I ◀ ◀	White Edge	White ▶1 ▶* of 220	Concrete	Paint	20,000	Standard	Roadmark Corporation	·			



Cost of Asset Management



In	stalled Material Weighted Avg. Cost/ft.:	White <u>Edge</u>	White <u>Skip</u>	Yellow <u>Center</u>	Yellow <u>Edge</u>
•	Polyurea (Highly Reflective Elements):	\$0.85	\$0.85	\$0.85	\$0.85
•	Epoxy (Large Bead):	\$0.44	\$0.55	N/A	\$0.44
•	Epoxy (NC Std Spec Bead):	\$0.40	\$0.42	N/A	\$0.40
•	Thermo (Large Bead):	\$0.33	\$0.43	\$0.32	\$0.39
•	Thermo (NC Std Spec Bead):	\$0.35	\$0.39	\$0.31	\$0.32
•	Hot Spray Thermo (NC Std Spec Bead):	\$0.19	\$0.19	N/A	\$0.19
•	Paint (NC Std Spec Bead):	\$0.08	\$0.08	\$0.08	\$0.08

• Asset management cost /ft.: \$ 0.007



Data Collection Questions



Currently Precision Scan collects retroreflectivity data on 2160.9 line miles over 5 years on the National Highway System

- **A.** Should it be expanded to collect more specific product data (epoxy on asphalt with NC standard specification beads and/or large beads, thermoplastic ribbon and extruded, other types of roadways (non-NHS), etc.)
- **B.** Should paint be measured on the non-NHS with ADT <5000 to evaluate restriping policies
- C. Should "wet" measurements be taken for product evaluations
- **D.** Should initial and 6 month performance and compliance data collection be combined with the current data collection, i.e, a percentage of pavement markings selected at random to be measured by mobile retroreflectivity in addition to handheld measurements
- **E.** Should initial and six month mobile retroreflectivity measurements be taken for the divisions on non-NHS roadways



Data Analysis and Decisions



Develop material selection methodology (life cycle cost/BBF):

- Decide key "selection" factors, i.e., product durability, retained retroreflectivity, cost, intangible cost factors, etc.
- Define end of "useful life" retroreflectivity
- Define what factors are part of cost, i.e., removal, grinding, etc.
- Define ADT selection categories
- Develop plan to maintain system with annual data collection and analysis
- Decide whether wet pavement markings should be introduced
- If wet measurements are taken, need to define "acceptable" retroreflectivity levels (initial and maintained)



Database Usage



- Decide on flexible, user friendly format
- Define who has access to what
- Database maintenance plan
- Integration of data into NCDOT official guidelines



NCDOT Pavement Marking Asset Management Program Results



- Increase safety
- Maximize value for money



NCDOT Pavement Marking Asset Management Program Contacts



NCDOT: Meredith McDiarmid

Chris Howard

(919) 250-4159

Precision Scan: Laura Jensen

Jamie Manning

(336) 475-7550